

BRASCH



Commercial Heating Products



For the last half Century, we have devoted ourselves to designing and producing the highest quality electric heating equipment available in the market.

We take pride in our products and never waiver from our core...

Unit Heaters and Comfort Heaters



234 SERIES WASHDOWN & CORROSION-RESISTANT UNIT HEATERS

The perfect solution for wet and corrosive non-hazardous heating applications. Wall, pole and ceiling mounting options. Ratings from 2 to 47kW and up to 600-volts three phase.



238 SERIES INDUSTRIAL UNIT HEATERS

Designed for maximum heating performance in non-hazardous and non-corrosive environments. Round design of the industrial unit heater provides uniform airflow over the elements preventing hot spots and ensure even discharge temperatures.



BTUR 240 SERIES COMMERCIAL UNIT HEATERS

Available in 50 standard models with ratings up to 50 kW at voltages of 208, 240, 277, and 480 single or three-phase. They are available with a wide variety of factory built-in or field-installed options.




BASEBOARD HEATERS

Designed to fit under large windows to prevent cold down drafts. These heaters can provide total or supplemental heating for a variety of applications.



WALL & CEILING HEATERS


Ten different wall and ceiling models to choose from, designed for commercial applications requiring higher kW's and quick heat up. Ratings range from 500 to 12,000 watts and up to 600 CFM to provide uniform temperatures for almost any application.



OTHER FORCED-AIR HEATERS


Cabinet unit heaters offer a unique combination of quality, efficiency, reliability and flexibility. Four sizes with ratings from 2,000 to 24,000 watts and voltages up to 480-volts. Wall or ceiling with surface, semi-recessed and recessed mounting options.

Explosion-Proof Heaters



254 SERIES EXPLOSION-PROOF CONVECTOR

Designed to provide safe heating with a compact design in hazardous locations. CSA and FM approved for Classes I and II, Divisions 1 and 2, Groups B,C,D,E,F and G with temperature codes as low as T3C, 320°F (160°C). Optional controls with built-on thermostats. 0.5 to 9.5kW up to 600-volts three phase.




233 SERIES EXPLOSION-PROOF UNIT HEATER

With the industry's lowest ignition temperature code rating, T3C, 320°F (160°C), the Ultra-Safe™ is designed for both safety and versatility.



EXPLOSION-PROOF DUCT HEATERS


Brasch explosion-proof 227 Series and 220 Series duct heaters are Factory Mutual (FM) and CSA Approved. The 227 Series duct heater has the only standard product offering and features the industry's lowest ignition temperature code rating, T3C, 320°F (160°C).



Visit Braschmfg.com to see how Brasch products do more in a wide range of applications and across many industries and focused segments.

We have the experience and expertise to provide you with the personalized support to arrive at customized solutions.

Email sales@Braschmfg.com
or call 1-888-731-7010
to find your nearest
Brasch representative.



Quality Products
produced by great
people.